

## Electrical Safety Matting - VDE0303

Fine Ribbed Rubber Matting to 50,000v - VDE0303 Grade is a high quality matting tested to 50,000 volts and in accordance to VDE0303 European specification with the regulation standard, stamped on the reverse of the roll at 1000mm intervals.

Fully certified and tested to 50,000 volts with a recommended safety working voltage of 2000v. It has a fine ribbed, anti-slip surface pattern on one side and a cloth impression finish on the reverse. A very commonly requested and approved Electrical Safety Matting specified by our customers in the UK and Europe.

- Fully tested to specification
- Health & Safety regulation material
- Fully traceable supply
- Regulatory branding on reverse
- Anti-slip finish
- Low maintenance

### Technical Properties (Summary)

<b>Material:</b>	NR/SBR
<b>Colour:</b>	Grey / Black
<b>Density [Specific Gravity]:</b>	1.3
<b>Hardness [Degrass Shore A]:</b>	65
<b>Tensile Strength [Mpa]:</b>	5
<b>Elongation at Break [%]:</b>	250
<b>Abrasion Resistance [mm<sup>3</sup>]:</b>	180
<b>Min. Temperature [°C]:</b>	-20 ( <i>avoid prolonged exposure</i> )
<b>Max Temperature [°C]:</b>	+70 ( <i>avoid prolonged exposure</i> )

NB: The information given above is based upon average values and is no way intended as a warranty. The purchaser is deemed responsible for determining the suitability of the product for any particular application. All data relating to suitable uses and description information concerning our products are compiled from research and are believed to be reliable, but are provided for guidance purposes only. The Company holds no legal or contractual responsibility for information supplied.